			Recei	ving Rep	ort		
	ate: 13	101/ 25A:	2 <u>v</u> e solu	Batch	n No: <u>//)</u> P/O:/	1880	) <b>)</b>
Packing Slip: Invoice: Receipt: Discrepancies	Yes Yes Cash	No _ No _ Cr _	W S Q	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye plete: Ye n	es W	<u> </u>
Part Number	Descrip	tion	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
			Com	DUEL			
							. 25
<u> </u>			Initials	of receiver	(if shipment	OK) Level	12/
Production/Ad Date Received/Cos Initial	13/4	<u>b</u>				Locati	on
H:\FORMS\Purc	hasing\approved	purch\RE	CREPORT Rev	D			

of																																																			
e I																																																			
Page																																																			

## Purchase Order Receipt Listing

Monday, January 07, 2013 3:23:36 PM

All amounts are calculated in domestic currency.

Receipt Dates from 1/7/2013 to 1/7/2013 All Line Item Types All Vendors PO ID PO18502 Receipt Dates from 1/7/2013 All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$1.392.25			46.2500	0.0000	0.0000	1.7500
/ MRB Qty/ MRB Reject Qty	0	0		antity:	U/M);	antity: Value:	antity:
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000		Total Received Quantity:	Total Qty to Inspect (PO U/M):	Total Reject Quantity: Total Receipt Value:	Total Balance Due Quantity:
Cost Per Unit/ Recv Value	\$30.10	\$1,392.25	The second secon	L	Total (		Tota
Recv Oty (PO U/M)	46.2500		-				
Recv Date/ Recv Emp	1/7/2013	48.0000 DESJ02	1.00000				:
Required Date Required Qty	11/30/2012	48.0000					
PO U/M / Stock U/M	Metaux Solutions 500X03. f	) x f			and the second of the second o		
Project ID Reference/ Description/ Cert Std	VC-MET002 M4130NB0.	413O Bar 0.500 x 3.00	124159				
Line Nbr/ Insp Req	dor Name 1	No No					
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO18502 1	. CAD					

MÉTAUX SOLUTIONS INC Order : 83050 2625 BOUL JACQUES CARTIER EST LONGUEUIL QUEBEC Reference : PO18502 J4N 1L7 Tel.: 450 641-3330 Ship : PICK UP / PICK UP Customer: 6323335 Ship To DART AEROSPACE LTD 多月1270. ABERDEEN STREET Same HAWKESBURY, ONTARIO K6A 1K7 Tel.: 1613 632-3336 Item No. Description Ow Oty. Deliver B/O Oty 4130 NORM PLATE 500 THICK AMS 6345 MP124130N 12 4 PCES X 3" X 144" Epices HT: R9091) X 1331/2 11.125 HT/. C1318 SHIP TST COLLECT Shipping : Ref. Package No : Merchandise Received:

Shipping Order

26/11/2012

MÉTAUX SOLUTIONS INC 2625 BOUL JACQUES CARTIER EST LONGUEUIL, QUEBEC J4N 1L7 Tel: 450 641-3

Tel.: 450 641-3330

Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7

**Shipping Order** 

26/11/2012

Order Reference

£ 83050

Ship

: PO18502

: PICK UP / PICK UP

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description		Qny	Qty. Delivei	B/O 0+-
MP124130N	4130 NORM PLATE .50 4 PCES X 3" X 144"		12 2 × 1331/2 "	12	B/O Qty
	HT:	apres HT C1318	6.1		
	SHIP TST COLLECT				

			rt.
Shuping :			
Package No :	R	<i>J.</i> :	
Merchandise Received:			
	<del></del>		

TEST CERTIFICATE

SHIP TO:

ARCELORMITTAL PLATE LLC

NO:

Ē

SOLD TO:

SEND TO:

01-C

PLATE DIMENSIONS DESCRIPTION

GAUGE

WIDTH LENGTH

DESCRIPTION

WEIGHT

144.5"

RECTANGLE

1486#

CUSTOMER INFORMATION

CUSTOMER PO: 011212MC

SPECIFICATION (S)

THIS MATERIAL HAS BEEN MANUFACTURED AND TESTED IN ACCORDANCE WITH PURCHASE ORDER REQUIREMENTS AND SPECIFICATION(S)

AMS 6345C YR 11 AIRCRAFT UNS AIRCRAFT QUALITY ASTM A829 06 GRADE 4130 & AISI 4130 97

AMS 6345

THE MANAGEMENT SYSTEMS FOR MANUFACTURE OF THIS PRODUCT ARE CERTIFIED TO ISO 9001:2008 (CERTIFICATE NO. 30130) AND ISO 14001 (CERTIFICATE NO. 009496)

COMPOSITION CHEMICAL

.002 .002

MELT: C1318 PROD ANALYSIS

MANUFACTURE

ELECTRIC FURNACE QUALITY - FINELINE - VACUUM DEGASSED - FINE GRAIN PRACTICE - MCQUAID-EHN GRAIN SIZE PER E112 - 7-8

HEAT TREAT CONDITION

MATL

OR TEST

HEAT TREAT DESCRIPTION NOM

HOLD MINS COOL

PL/TEST

NORMALIZE

1660F

28

AIR COOL

WE HEREBY CERTIFY THE ABOVE INFORMATION IS CORRECT:

ARCELORMITTAL PLATE LLC QUALITY ASSURANCE LABORATORY 139 MODENA ROAD COATESVILLE, PA 19320

ELINORE ZAPLITNY

PAGE 02/05

METAUX SOLUTIONS

420-335-8236 09:TT &T0Z/80/T0

P.4/5 #6589 P.003/004

					İ				1
				7 =	87 C	m ~ ~ .			
SHIP TO	ANCELORGO	ITTAL, PL	ATE LL	¢ ''	٠ ١	EKI	FIC PAGE 1	ATE	
•	. [		1 0				PTTD 1	10: 27	OF 02
	203					MILL C	RDER	30: 60	ģģ6-001.
• •				•		•	DA	TE: DE	091 /29/11
									,
SOLU mo	. 1.	1.5		OT ONES	.   '	•	7		
		14.	v	STATE TO	•		, i		. 01 0
								•	
PLATE BY					ŀ		•	•	. 1
ENWED BI	MENS	I O H &	1	DEBC	2 3 10 70	T () 10			1
TOTAL QTY					1	* () [4			
54.1	GAUGE	WIDS	en i	ENGTH	DESCRIP	TT/42	PIEC	E.	ł
30	. 5 **	72"		144"	1		WE AU	- CT - L	
	3				RECTAN	TE	147	0#	1
CUSTOMER		RMA	OIF	N .					. [
CUSTOMER PO:	031811M			7			5		1.
•	- III -					5.	110		
SPECIFIC	ATION	121	- 1				3119		j
THIS MATERIA ORDER REQUIR AMS 63468 YR	L HAC BOL	N MKLOU	3. Alw						1
CROER REQUIR	EMPRES AN	d speci	ACYURE FICATT	DAND TES	TED IN F	CCOKO	WCE W	TTH PU	RCHASE
7 62 634 9B AB	07 AIRCE	Low			İ		i.		
ALECENE	7					1			
GRADE-4:30 THE MANAGEME TO 180 9001 NO. 0094961	AISI ANS	2301 RE	V. JA	STN AB29			,		
THE HAMAGEME TO 130 9001 NO. 009496)	NE BASTEM	S FOR M	ANCEAC	TURE OF	om m His èron	WW AC	S PARKET	FF4481515	i
พีซ์. "อัตัรส์รีล์รี":	ACCOUNTED	TIPICAT!	e No.	30130) AM	180 14	ooi id	ERTTY	CATE	
						,			1
CRENICAL	COMP	OSI	Pro		i .				
MELT: R9091	\	C <sub>30</sub> 1		, e	cu	S.	MI	CR	140
MELT: R9091 PROD ANALYSI:	\	c ,		510 .003 510 .004	cu :12 :11	S	NI .09 .08	CR . 96	MO . 20
MELT-POACE	s	C 1	50 :	010 .003 010 .004	cu :12 :11	S	NI .09 .08	CR . 96 . 93	MO .20 .19
MELT-POACE	s	C 1	50 :	010 .003 010 .004	cu .12 .11	S7.23	NI .09 .08	CR .96 .93	20 .20 .19
MELT: ROOSI PROD ANALYSI:	s)	C 30 1	50 :	, e	cu .12 .11	S. 23	NI .08	CR . 96 . 93	20 20 19
MELT: ROOSI PROD ANALYSI:	s)	C 1	50 :	010 .003 010 .004	្តម្	S	NI .09	CR .96 .93	MO .20 .19
MELT: R9091 PROD ANALYSI: M A N U F A C T I	s	C 30 1	50 : 6	10 .003 10 .004 10 .004		51 - 32 - 32 - 32 - 32 - 32 - 32 - 32 - 3	NI CS CS	.93	%0 .20 .19
MELT: R9091 PROD ANALYSI: M A N U F A C T I	s	C 30 1	50 : 6	10 .003 10 .004 10 .004		S; .23	NI OB OB	.93	MO .20 .19
PROD ANALYSI:  MELT: R9091 PROD ANALYSI:  M A N U F A C T I  ELECTRIC FURD PRACTICE - MO	S R E RACE QUAL	C 30 30 057 054 054	EC :	010 .003 010 .004		S	NI OB	.93	20 .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  H A N U F A C T I  ELECTRIC FURN PRACTICE - MI	S S S S S S S S S S S S S S S S S S S	C 30 1	EC :	010 .003 010 .004		S	NI . DE	.93	MO .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTICE PRACTICE - MO  HEAT TREE	S R S COUNTY CO	C 30 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TO N	010 .003 010 .004		S; .23	NI OB OB	.93	MO .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTICE ELECTRIC FURNIFICACTICE - MC  HEATTRE F	S S S S S S S S S S S S S S S S S S S	C 30 2 30 30 30 30 30 30 30 30 30 30 30 30 30	TIG STEE F	PO 003 10 004 10 004 101 101 101 101 101 101 101	1 <b>Dec</b> assi 7—8	S;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	NI OB INE GR	.93	%O . 19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTIC TURN PRACTICE - MO  HEAT TRE F	S S S S S S S S S S S S S S S S S S S	C 30 2 30 30 30 30 30 30 30 30 30 30 30 30 30	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	ST. :23 :23 ID - F.	INE GR	.93	%O . 19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTIC TURN PRACTICE - MO  HEAT TRE F	S S S S S S S S S S S S S S S S S S S	C 30 2 30 30 30 30 30 30 30 30 30 30 30 30 30	ON 1250 1250 1250 1250 1250 1250 1250 1250	PO 003 10 004 10 004 101 101 101 101 101 101	1 <b>Dec</b> assi 7—8	Sili 23 23 23 23 23 23 23 23 23 23 23 23 23	XL ID	.93	%0 .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTIC TURN PRACTICE - MO  HEAT TRE F	S S S S S S S S S S S S S S S S S S S	C 30 2 30 30 30 30 30 30 30 30 30 30 30 30 30	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	%0 .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTIC TURN PRACTICE - MO  HEAT TRE F	S S S S S S S S S S S S S S S S S S S	C 30 2 30 30 30 30 30 30 30 30 30 30 30 30 30	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	%0 .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTIC TURN PRACTICE - MO  HEAT TRE #	S S S S S S S S S S S S S S S S S S S	C 30 2 30 30 30 30 30 30 30 30 30 30 30 30 30	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	20 .20 .19
MELT: R9091 FROD ANALYSI: MANUFACTICE FURN- PRACTICE - ME HEAT TREA	S S S S S S S S S S S S S S S S S S S	C 30 S 21 V 57 V 57 V 57 V 57 V 57 V 67 V 67 V 77 V 77 V 67 V 77 V 77	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	20 .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTIC TURN PRACTICE - MO  HEAT TRE #	S S S S S S S S S S S S S S S S S S S	C 30 S 21 V 57 V 57 V 57 V 57 V 57 V 67 V 67 V 77 V 77 V 67 V 77 V 77	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	20 .20 .19
PROD ANALYSI:  MELT:R9091 PROD ANALYSI:  MANUFACTICE TURN PRACTICE TO ME PRACTICE TO ME PRACTICE TO ME PRACTICE TO ME PRACTICE TO ME TO ME A 7 TRE P  WE HEREBY CEINFORMATION IS  ARCELORMITTAL	S S S S S S S S S S S S S S S S S S S	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	**************************************
MELT: R9091 FROD ANALYSI: MELT: R9091 FROD ANALYSI: MANUFACTICE TURNS FRACTICE TO ME FRACTICE TO	S S S S S S S S S S S S S S S S S S S	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NOM	DECASSI 7-8 7-8 HOLD HOLD MINS	COC	XL ID	.93	**************************************
PROD ANALYSI:  MELT: R9091 PROD ANALYSI:  MANUFACTICE TURN PRACTICE TURN PRACTICE THE  PRACTICE TO THE  PL/  WE HEREBY CEI INFORMATION IS  ARCELORMITTAL GUALITY ASSUM 139 MODEMA RO	S R S VACE OUAL: COUATO-EM T C O TEST TEST TEST L CORRECT: L PLATE LL ANCE LABO	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NCM TEMP	POLD HOLD MINS 28	COX MTI AIR C	SE STOLE	es AIN	
MELT: R9091 FROD ANALYSI: MELT: R9091 FROD ANALYSI: MANUFACTICE TURNS FRACTICE TO ME FRACTICE TO	S R S VACE OUAL: COUATO-EM T C O TEST TEST TEST L CORRECT: L PLATE LL ANCE LABO	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NCM TEMP	PEGASSI 7-B HOLD MINS 28	COC MIT AIR C	OL STATE	es aln orthug	
PROD ANALYSI:  MELT: R9091 PROD ANALYSI:  MANUFACTICE TURN PRACTICE TURN PRACTICE THE  PRACTICE TO THE  PL/  WE HEREBY CEI INFORMATION IS  ARCELORMITTAL GUALITY ASSUM 139 MODEMA RO	S R S VACE OUAL: COUATO-EM T C O TEST TEST TEST L CORRECT: L PLATE LL ANCE LABO	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NCM TEMP	PEGASSI 7-B HOLD MINS 28	COC MIT AIR C	SE STOLE	es aln orthug	
PROD ANALYSI:  MELT: R9091 PROD ANALYSI:  MANUFACTICE TURN PRACTICE TURN PRACTICE THE  PRACTICE TO THE  PL/  WE HEREBY CEI INFORMATION IS  ARCELORMITTAL GUALITY ASSUM 139 MODEMA RO	S R S VACE OUAL: COUATO-EM T C O TEST TEST TEST L CORRECT: L PLATE LL ANCE LABO	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NCM TEMP	PEGASSI 7-B HOLD MINS 28	COC MIT AIR C	OL STATE	es aln orthug	
PROD ANALYSI:  MELT: R9091 PROD ANALYSI:  MANUFACTICE TURN PRACTICE TURN PRACTICE THE  PRACTICE TO THE  PL/  WE HEREBY CEI INFORMATION IS  ARCELORMITTAL GUALITY ASSUM 139 MODEMA RO	S R S VACE OUAL: COUATO-EM T C O TEST TEST TEST L CORRECT: L PLATE LL ANCE LABO	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NCM TEMP	PEGASSI 7-B HOLD MINS 28	COC MIT AIR C	OL STATE	es aln orthug	
PROD ANALYSI:  MELT: R9091 PROD ANALYSI:  MANUFACTICE TURN PRACTICE TURN PRACTICE THE  PRACTICE TO THE  PL/  WE HEREBY CEI INFORMATION IS  ARCELORMITTAL GUALITY ASSUM 139 MODEMA RO	S R S VACE OUAL: COUATO-EM T C O TEST TEST TEST L CORRECT: L PLATE LL ANCE LABO	C 30 C 31 V 57 V 57 V 57 V 58 V 58 V 68 V 68 V 68 V 68 V 68 V 68 V 68 V 6	ON 1250 1250 1250 1250 1250 1250 1250 1250	NCM TEMP	PEGASSI 7-B HOLD MINS 28	COC MIT AIR C	OL STATE	es aln orthug	

TEST

BEND TEST - BOT./TRANS. - PASS

BEND TEST - TOP/LONG. - PASS

TENSILE PROPERTIES

TOC	DIR	STRENGTH PSI X 100	TENSILE STRENGTS PSI X 100	EXINGATION (AGE ) STR &
BOT BOT TOP	Trans. Trans. Trans. Trans.	751 770 <b>748</b> 776	1159 1186 1165 1228	2 PG 17 0 2 PG 18 0 2 PG 17 0 2 PG 17 0

DECARB TESTING

LOC	DEFIR	SURFACE	SUBSURFACE
 BOT BOT TOP TOP	013 008 008 007	0000	0

OTHER METALLURGICAL AND MICROSTRUCTUAL TESTS

THERMAL RESPONSE TOP - 43 - GAUGE TESTED - . 37500

THERMAL RESPONSE TOP - 41 - GAUGE TESTED - , 37500

HAGNETIC PARTICLE - FREQUENCY .00001 - SEVERITY .0000

CERERAL INFORMATION

ERIAL HAS HEEM VACUUM DEGASSED AND CALCIUM TREATED SULFIDE SHAPE CONTROL PART FRED. AND SEVENITY RATING PER AMS-2031J. PART FRED. AND PROCESSING GUIDELINES, REFER TO ARCHIOCHUTTAL.COM/PLATEINFORMATION

B/L #44747 MAVERICK TRANSPORTATION

WE HERBBY CERTIFY THE ABOVE INFORMATION IS CORRECT:

ARCELORIMITAL PLATE ILC QUALITY ASSURANCE LABORATORY 139 MODENA ROAD COATESVILLE, PA 19320

SUPERVISOR - TEST RET ELINORE ZAPLITNY



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

## PURCHASE ORDER

## Purchase Order ID PO18502

Purchase Order Date 11/26/12 PO Print Date 11/27/12

Page Number 1 of 1

Order From:

METAUX SOLUTIONS 2625 BOUL JACQUES-CARTHER EST

LONGUEUIL, QC J4N 1L7

CA

**Contact Name** 

Vendor Phone Vendor Fax

800 558 8858

Vendor Account Nbr

514 633 8044

Buver

Requisition Nbr Tax Resale Nbr

Terms

Currency

**FOB** 

Chantal Lavoie

: 10127-2607 Net 30

CAD

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKERBURY, ON K6A 1K7

VC-MET002

CANADA

Vendor Part Number M4130NB0.500X03.000

**Revision ID** 

Line Nbr Reference

413O Bar 0.500 x 3.00

Description/

Mfg ID

11/30/12

Yes

Req Date/

48.00

Req Qty/

Ship Method

**Unit Price** 

\$29,9500

Extended Price

\$1,437.60

TST ground

Special Inst:

MATERIAL: AISI 4130N STEEL BAR AS

Taxable Unit of Measure

MIL-S-6758 OR AMS 6345/6348/6370/6528

\$1,437.60

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required (YES NO

Change Nbr:

2

**Change Date:** 11/27/12